



# Florida Department of Environmental Protection

Marjory Stoneman Douglas Building  
3900 Commonwealth Boulevard  
Tallahassee, Florida 32399-3000

Rick Scott  
Governor

Carlos Lopez-Cantera  
Lt. Governor

Noah Valenstein  
Secretary

**August 10, 2018**

## **NOTICE TO APPLICANTS ADDENDUM NO. TWO (2)**

### **CRYSTAL RIVER ARCHAEOLOGICAL STATE PARK – SEAWALL REPAIRS Dep Bid NO. BDC05-18/19**

TO BIDDERS AND PLAN HOLDERS ON THE ABOVE REFERENCED PROJECT: PLEASE NOTE CONTENTS HEREIN AND INCLUDE WITH YOUR BID SUBMISSION.

#### **NOTICE**

---

It will be required that this addendum be signed in acknowledgment of receipt and that it be included with your Bid when same is submitted to Adam Browne, Government Operations Consultant II, Bureau of Design and Construction, 3800 Commonwealth Blvd. MS520, Tallahassee, Florida 32399-3000. Failure to do so may be grounds for rejection of the Bid.

---

Signature of Contractor and Date

The Following statements supersede & supplement the corresponding items in the specifications & drawings:

1. On Drawing Sheet G002 under the section "Rock for Shoreline Protection", Item #5 shall be modified to as follows:

"ALL ROCK MATERIAL SHALL HAVE A BULK SPECIFIC GRAVITY OF AT LEAST 2.2."

2. The attached exhibit titled "Haul Routes" shall be added to the contract documents. Access to the work area shall be by the routes shown on the "Haul Routes" exhibit. The access route shall be returned to the existing condition at the conclusion of the project including resodding existing grassed areas to match the

adjacent areas. Care shall be taken to protect the trees along the haul routes from damage and to keep the roadways clear of dirt and debris.

In all other respects, the contract documents of which this is an Addendum, and attachments relative thereto, shall remain in full force and effect.



HAUL ROUTES FOR  
CRYSTAL RIVER ARCHAEOLOGICAL STATE PARK – SEAWALL REPAIRS  
DEP BID NO. BDC05-18/19

