

ADDENDUM #002

Solicitation Number: FDC ITB-18-052
Solicitation Title: Medical Supplies
Opening Date/Time: March 14, 2018 at 2:00 p.m. (Eastern Time)
Addendum Number: 002

Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Please be advised that the changes below are applicable to the original specifications of the above referenced solicitation. Added or new language to the ITB is highlighted in **yellow**, while deleted language has been struck.

This Addendum includes the Department’s answers to written questions received.

This Addendum also includes the following changes:

Change No. 1:
Timeline Revision

REVISED
TIMELINE
FDC ITB-18-052

EVENT	DATE/TIME	LOCATION
Release of ITB	December 18, 2017	Vendor Bid System: http://vbs.dms.state.fl.us/vbs/main_menu
Last Day for Written Inquires and Requests for Approved Equivalents to be Received by the Department	January 5, 2018 by 5:00 p.m., Eastern Time	Submit to: Florida Department of Corrections Nicole Todd, Procurement Officer Email: purchasing@fdc.myflorida.com
Anticipated Posting of Written Responses to Written Inquires	February 2, 2018	Vendor Bid System: http://vbs.dms.state.fl.us/vbs/main_menu

EVENT	DATE/TIME	LOCATION
Last Day for Second Round of Written Inquires and Requests for Approved Equivalent to be Received by the Department	February 9, 2018 by 5:00 p.m., Eastern Time	Submit to: Florida Department of Corrections Nicole Todd, Procurement Officer Email: purchasing@fdc.myflorida.com
Anticipated Posting of Second Round of Written Responses to Written Inquires	March 2, 2018	Vendor Bid System: http://vbs.dms.state.fl.us/vbs/main_menu
Sealed Bids Due and Opened	February 14, 2018 March 14, 2018 at 2:00 p.m., Eastern Time	Submit to: Florida Department of Corrections Nicole Todd, Bureau of Procurement 501 South Calhoun Street Tallahassee, Florida 32399-2500
Anticipated Posting of Recommended Award	March 12, 2018 April 11, 2018	Vendor Bid System: http://vbs.dms.state.fl.us/vbs/main_menu

Change No. 2:

A change to Section 2.4.

2.4 Minimum Order

The minimum order required under the resulting Contract will be one (1) Case. There is no minimum order.

Change No. 3:

A change to Section 4.6 to revise the below:

4.6 Mandatory Documentation

All Bidders must submit the following mandatory documentation with their Bid:

- 1) Price Page – Attachment I
- 2) **Florida Preference Letter, as outlined in Section 4.10**
- 3) Bidder's Contact Information – Attachment II
- 4) Drug Free Workplace form, if applicable – Attachment IV
- 5) A sample of each item bid, as proposed in Attachment I, Price Page

Change No. 4:

A change to Section 4.11.

4.11 Basis of Award

There are a total of **four (4)** ~~three (3)~~ award Groups. An award shall be made to the lowest responsive, responsible Bidder with the lowest Grand Total Price for each Group, as specified on Attachment I, Price Page. The Bidder is required to bid all items, within each Group, in order for their Bid to be considered responsive. However, the Bidder does not have to bid all Groups for their Bid to be considered responsive.

In the event the low cost Bidder is found non-responsive, the Department may proceed to the next lowest cost responsive Bidder and continue the award process.

Bids must be firm prices and be inclusive of all packaging, handling, shipping and delivery charges, travel, environmental & fuel service fees and relevant other charges.

Change No. 5:

A revision to Attachment I, Price Page, to revise and replace it in its entirety. The revised Attachment I, Price Page, is included as an attachment to this Addendum and must be used when submitting Bid responses.

**Responses to Written Questions
FDC ITB-18-052
Medical Supplies**

Question Number	Question	Answer
1	<p>Medgluv is interested in submitting our equivalent or better Examination gloves on the above bid. Please advise your requirement for samples to be provided to Florida Department of Corrections for evaluation.</p>	<p><i>Previous Answer Provided Via Email:</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
2	<p>Could you also provide us with your current item numbers for a correct and complete cross reference of your current glove usage?</p>	<p>All information available has been provided in the specifications of the ITB. If helpful, the Department previously utilized the State Term Contract 475-000-11-1, Medical & Dental Supplies, which expired 9/21/2017. Items available on this contract may be found here: https://www.dms.myflorida.com/business_operations/state_purchasing/vendor_information/state_contracts_and_agreements/state_term_contracts/archive/medical_dental_supplies_expired.</p>
3	<p>Can you tell me why the State of Florida Department of Corrections chose to issue an ITB for Medical Supplies when there is already a State contract in place for Medical Supplies? Reference link the Medical Supplies contract 42000000-17-ACS: https://www.dms.myflorida.com/business_operations/state_purchasing/vendor_information/state_contracts_and_agreements/alternate_contract_source/medical_supplies</p>	<p>The Department previously purchased these items off of the State Term Contract for Medical Supplies, which has now expired and not been re-procured. Based on the total spend for these items, the Department is required to purchase the supplies off an existing contract source, or issue our own competitive solicitation. Upon conducting a review of pricing available in relation to the Alternate Contract Source (ACS) 42000000-17-ACS, it was determined unfeasible to continue to use that method of procurement due to budget limitations. The ACS contract resulted in a price increase of approximately 100% from what the Department was paying previously.</p>

Question Number	Question	Answer
4	Are equal or better substitutions acceptable? If so, do you need spec sheets for all/some items, or samples on specific items?	<p><i>Previous Answer Provided Via Email :</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
5	Do you have a tabulation from the previous bid available?	This is the first time the Department has released a solicitation for these specific items, as they were previously available on State Term Contract. For additional information, please see the previous State Term Contract pricing, linked in the Answer to Question #2.
6	I can see many names of glove suppliers in the document (Microflex, Cardinal Health, Cypress, Maxxim) but are you asking for bidders to bid on all of these manufacturers products, or just the ones that we sell?	As per Section 4.11 of the ITB, a Bidder must bid on all items within a Group for their Bid to be considered responsive. Bidders may bid only on the Groups for which they can provide items, since a separate award will be made for each Group referenced in Attachment I, Price Page.
7	The document has a title of latex gloves, but you are also asking for vinyl, nitrile and surgical. Is this correct?	The solicitation title is "Medical Supplies" and the specifications for the type of gloves required may be found in Attachment I, Price Page. There are latex and vinyl gloves listed.
8	I sell a mainline manufacturer's gloves.....Sempermed USA.....situated in Clearwater Florida. What is the process for offering Sempermed's gloves as alternatives to the stated products? Some of the accepted products are manufactured by Sempermed and private labelled.	<p><i>Previous Answer Provided Via Email:</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p>

Question Number	Question	Answer
8 (cont'd)		An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297 .
9	You are asking for medical gloves, and within the document you ask for powdered gloves. The FDA no longer allows powder in an exam medical glove.	These items will be used for security purposes and are not intended for medical use.
10	My glove team and I reviewed your usage and had some questions, industry news, and recommendations. Would you be able to connect with us for a short call? We plan on participating but want to make our bid as valuable as possible for your facilities.	<i>Previous Answer Provided Via Email :</i> No, due to the solicitation being in opened status we are unable to call and discuss. Additional Answer: Vendors who participate in the Department's development of a scope of work are precluded from award of the resulting Contract per Section 287.057, F.S.
11	Based upon previous history, approximately how often are orders placed (monthly, quarterly, annually)?	Quarterly orders are expected, primarily, but additional orders may be submitted, as needed.
12	Based upon previous history, approximately how many cases are ordered at a time?	The Department is unable to provide an exact number as an estimate. Research was conducted which concluded the typical order is between five (5) and 30 cases, per institution, on a quarterly basis, or as needed.
13	Would you be able to provide previously awarded pricing per item and the name of the winning vendor for Group 1 in the bid?	Please see the Answer to Question #5.

Question Number	Question	Answer
14	According to the bid, there are over 100+ delivery locations. I would like to confirm that the items in Group 1 are delivered to all the locations listed in the bid or if they are delivered to one main location and then distributed to the other locations by the Florida Department Corrections.	Items listed in Attachment I, Price Page, may be requested/ordered from any of the delivery locations in Attachment V, Delivery Locations. Specifically, it's more likely for items in Group 1 and 4 to be ordered by all locations listed, and items in Groups 2 and 3 will primarily go to only a few locations: Lowell CI, Florida Women's Reception Center, Hernando CI and Homestead CI. Please see also Change No.5 of this Addendum.
15	Can you please give me more specific details for the different commodities? Good Health Medical Supplies can provide the various commodities and we are interested in sending a bid.	Please see the Answer to Question #2, and Change No.5 of this Addendum.
16	Please advise if substitutes are acceptable with comparable items.	<p><i>Previous Answer Provided Via Email.</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
17	AMD received an INVITATION TO BID (ITB) FOR MEDICAL SUPPLIES FDC ITB 18-052. It is a 3 year contract. The current Florida State contract is under MMCAP (Minnesota Multistate Contracting Alliance for Pharmacy). Do you have to be a member of MMCAP to participate in the DOC bid? Please clarify.	Please see the Answer to Question #3 of this Addendum. Vendors are not required to be a member of MMCAP to participate in this Solicitation.

Question Number	Question	Answer
18	Will this be awarded to one vendor or multiple?	<p>As per Section 4.11 of the ITB, a separate award will be made for each Group of items list in Attachment I, Price Page. Awards will be made to the lowest responsible, responsive Bidder with the lowest Grand Total Price for each Group. This means that, potentially, the same Bidder could be awarded one Group, multiple Groups, or all Groups.</p> <p>Bidders must bid on all items within a Group, in order for their bid to be considered responsive to that Group.</p>
19	Do we have to bid on all items or can we just be on gloves?	Please see the Answer to Questions #6 and #18.
20	Can you advise why the data looks the same for each attachment? Makes it look like each delivery area may be buying up to that volume/product.	The estimated quantities listed in Attachment I, Price Page, are provided for reference only, and will be used to determine pricing for the award of this ITB. Based on the data available to the Department, these are as relevant as possible. Each delivery area may be buying up to that volume/product during the course of a given year. Please also see Change No. 5 of this Addendum.
21	What was the total usage (number of glove cases) for last year?	Please see the Answer to Question #12.
22	Are we reading that no minimum purchase will be accepted?	<p>As per Section 2.4 of the ITB, there is a one (1) case minimum order required to be placed under a resulting Contract. This means, that pricing established in a resulting Contract, based on the pricing received in response to this ITB, will be firm and consistent regardless of the amount ordered but the FDC will not order boxes outside of a case. Quarterly orders are anticipated from all locations, but if an additional order is submitted, it must be filled at the pricing specified by a Vendor's ITB response. Please also see Change No. 2 of this Addendum.</p>

Question Number	Question	Answer
23 23 (cont'd)	Can you kindly advise what we would have to do to get Tronex gloves approved as a supplier on this contract?	<p><i>Previous Answer Provided Via Email :</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
24	In the description of the goods there are no specific part numbers, my question is, are any products that meet the description of the goods acceptable to quote or is there a specific product that needs to be quoted?	Please see revised Attachment I, Price Page, and Changes No. 3 and No.5 of this Addendum.
25	Do we have to bid all items? For instance, powdered gloves are no longer manufactured for medical use.	Please see the Answer to Questions #6, #9 and #18.
26	Can we substitute private label gloves such as Patterson and Cardinal?	<p><i>Previous Answer Provided Via Email:</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>

Question Number	Question	Answer
27	Can Group Purchasing Organizations (GPOs) respond to this solicitation?	This solicitation is open and competitive. Any Vendor who can meet the requirements of the solicitation is encouraged to participate.
28	I am requesting that you extend the deadline to at least January 5th to allow time to do this properly. Please consider my request.	<i>Previous Answer Provided Via Email.</i> Addendum 001 revised the Timeline.
29	My question is do you have an account number with us? Or, if I can have the address of where could ship to and the billing address, that would be helpful.	Please see Attachment V, Delivery Locations of the ITB, for a complete list of possible delivery locations. The billing address will be included on the Purchase Order once generated.
30	Can we extend the deadline for submitting requests for approved equivalents?	<i>Previous Answer Provided Via Email.</i> Addendum 001 revised the Timeline.
31	Looking over the bid we see that the DOC has an opportunity for significant savings, and to create greater ease by standardizing gloves across all facilities. Many of the requested gloves are very similar in their spec's, just different manufacturers. Is this something that you would be interested in doing?	Please see Change No.5 of this Addendum.
32	Do you have item numbers for the gloves currently listed on the bid?	Please see the Answers to Questions #2 and #31.
33	I see the term of the bid is 3 years, with 3 possible renewals. What is permitted for price changes? Will you allow price changes every 12 month period with manufacturer documentation?	Section 4(e) of PUR 1000 (incorporated by reference in ITB Section 5.1) allows for equitable price adjustments based on volatility of the market or industry, which are outside of the successful Bidder's control. Section 5.2 of the ITB also allows for the Bidder to request an equitable price adjustment if the Department changes the scope of items included in any resulting Contract.
34	Please accept my request for an equivalent entry and advise what the process and next step maybe and if trial product is needed?	<i>Previous Answer Provided Via Email:</i> Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which

Question Number	Question	Answer
34 (cont'd)		<p>provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
35	<p>Medgluv wishes to submit our latex Powder-Free Exam gloves with the best equivalent cross reference on your current usage.</p> <p>Most cross reference are supplied with Item numbers. Your description supplied are vague, as most product descriptions are based on specifications. Exam the Microflex Diamond Grip Latex Exam are 8 mil and the Microflex Diamond Grip plus is averaging 5 mil. It would be easier to cross reference an item best equivalent based on item numbers.</p>	Please see Change No.5 of this Addendum.
36	Are the Estimated Quantity based on box or cases? If it is box, I would presume the unit cost is based on box price.	The estimated quantities are based on the number of cases projected to be needed. Please see Change No.5 of this Addendum.
37	There are quite a few instances of the unit of measure not being mentioned - especially in the Group I - gloves. That is, some places a "case" is either not defined, or is defined as 100/case or 1000/cs; the same condition is true for "box" (a bx is shown as 100/bx and 1000/bx) although not as frequent. Could you have the end user be consistent in the description?	Please see Change No.5 of this Addendum.
38	Having no "minimum" quantity stipulated could be a hardship for the vendor. If for instance - the end user wanted to order one "box" (see #1) of 100 gloves to be shipped every week. It would be practical and a non-hardship, we would offer, to either have the end user order a four week supply (as determined by their prior	Please see the Answer to Question #22.

Question Number	Question	Answer
	years usage) or by a well thought out projection. They can always skip a shipment or reduce the quantity ordered if they estimated incorrectly.	
39	Can you have the CUP group re-defined? We need to know which of the four cup categories are sterile; which require labels; which are screw cap and which are snap cap; if sterile - which should be individually sterile and which are 100 to a bag but with sterility only on the inside? Of the cups without lids, will the lids be in the same "case" but not provided affixed to the cup and if the latter- should the caps be screw cap or snap cap and with or without labels? We assume that a "case" of 2500 would be accomplished as 5 boxes of 500 each? It would be possibly more efficient to have 4 x 500 per case or 6 X 500/ cs - or even 2x500/cs, from a shipping standpoint.	Please see Change No.5 of this Addendum.
40	<p>The bid states: 2.0 Scope of Work, 2.1 All products must be bid as specified.</p> <p>4.11 Basis of Award- The Bidder is required to bid all items, within each group, in order for their Bid to be considered responsive. Due to the inaccuracies in the listed items, it is almost to bid all the items in the group as the bid says- Is it possible to addend the bid and you will accept pricing if the whole group is not bid?</p>	Please see the Answer to Question #6, and Change No.5 of this Addendum.
41	Is there a way to get more detailed specifications for the gloves?	Please see Change No.5 of this Addendum.
42	Is there a previous contract, bid tab or pricing available?	Please see the Answer to Question #17.

Question Number	Question	Answer																																																
<p>43</p> <p>43 (Cont'd)</p>	<p>Please advise if the above specifications submitted by Medgluv is per your specifications. <i>(See snips below)</i>.</p> <p>Medgluv PF Latex <u>MG100 Series</u></p> <p><u>Glove Specifications</u></p> <table border="0"> <thead> <tr> <th></th> <th>ASTM</th> <th>Medgluv</th> </tr> </thead> <tbody> <tr> <td>Length (mm)</td> <td>Min 220</td> <td>240</td> </tr> <tr> <td>Palm width (mm)</td> <td>95 ± 10</td> <td>95 ± 10</td> </tr> <tr> <td>Cuff Thickness (mm)</td> <td>N/A</td> <td>0.14 (5.6 mil)</td> </tr> <tr> <td>Palm Thickness (mm)</td> <td>min. 0.05</td> <td>0.15 (6.1 mil)</td> </tr> <tr> <td>Finger Thickness (mm)</td> <td>min. 0.05</td> <td>0.16 (6.5 mil)</td> </tr> <tr> <td>Tensile Strength (MPa)</td> <td>min. 14</td> <td>29</td> </tr> <tr> <td>Ultimate Elongation (%)</td> <td>min 500</td> <td>750</td> </tr> </tbody> </table> <p><u>NeuGrip PF 8 mil Latex:</u> <u>Glove Specifications</u></p> <table border="0"> <thead> <tr> <th></th> <th>ASTM</th> <th>NeuGrip</th> </tr> </thead> <tbody> <tr> <td>Length (mm)</td> <td>Min 220</td> <td>240</td> </tr> <tr> <td>Palm width (mm)</td> <td>95 ± 10</td> <td>95 ± 10</td> </tr> <tr> <td>Cuff Thickness (mm)</td> <td>N/A</td> <td>0.143 (5.1 mil)</td> </tr> <tr> <td>Palm Thickness (mm)</td> <td>min. 0.05</td> <td>0.16 (6.3 mil)</td> </tr> <tr> <td>Finger Thickness (mm)</td> <td>min. 0.05</td> <td>0.20 (8.0 mil)</td> </tr> <tr> <td>Tensile Strength (MPa)</td> <td>min. 14</td> <td>30</td> </tr> <tr> <td>Ultimate Elongation (%)</td> <td>min 500</td> <td>800</td> </tr> </tbody> </table> <p>REMAINDER OF PAGE INTENTIONALLY LEFT BLANK</p> <p>NeuSkin Vinyl Clear <u>MG300 Series</u></p>		ASTM	Medgluv	Length (mm)	Min 220	240	Palm width (mm)	95 ± 10	95 ± 10	Cuff Thickness (mm)	N/A	0.14 (5.6 mil)	Palm Thickness (mm)	min. 0.05	0.15 (6.1 mil)	Finger Thickness (mm)	min. 0.05	0.16 (6.5 mil)	Tensile Strength (MPa)	min. 14	29	Ultimate Elongation (%)	min 500	750		ASTM	NeuGrip	Length (mm)	Min 220	240	Palm width (mm)	95 ± 10	95 ± 10	Cuff Thickness (mm)	N/A	0.143 (5.1 mil)	Palm Thickness (mm)	min. 0.05	0.16 (6.3 mil)	Finger Thickness (mm)	min. 0.05	0.20 (8.0 mil)	Tensile Strength (MPa)	min. 14	30	Ultimate Elongation (%)	min 500	800	<p>Samples must be submitted with a Vendor's Bid. Please see Changes No.3 and No. 5 of this Addendum. Attachment I, Price Page, has been revised to remove specific brands.</p>
	ASTM	Medgluv																																																
Length (mm)	Min 220	240																																																
Palm width (mm)	95 ± 10	95 ± 10																																																
Cuff Thickness (mm)	N/A	0.14 (5.6 mil)																																																
Palm Thickness (mm)	min. 0.05	0.15 (6.1 mil)																																																
Finger Thickness (mm)	min. 0.05	0.16 (6.5 mil)																																																
Tensile Strength (MPa)	min. 14	29																																																
Ultimate Elongation (%)	min 500	750																																																
	ASTM	NeuGrip																																																
Length (mm)	Min 220	240																																																
Palm width (mm)	95 ± 10	95 ± 10																																																
Cuff Thickness (mm)	N/A	0.143 (5.1 mil)																																																
Palm Thickness (mm)	min. 0.05	0.16 (6.3 mil)																																																
Finger Thickness (mm)	min. 0.05	0.20 (8.0 mil)																																																
Tensile Strength (MPa)	min. 14	30																																																
Ultimate Elongation (%)	min 500	800																																																

Question Number	Question	Answer																								
43 (cont'd)	<p><u>Glove Specifications</u></p> <table border="0"> <thead> <tr> <th></th> <th>ASTM</th> <th>NeuSkin</th> </tr> </thead> <tbody> <tr> <td>Length (mm)</td> <td>Min 220</td> <td>240</td> </tr> <tr> <td>Palm width (mm)</td> <td>95 ± 10</td> <td>95 ± 10</td> </tr> <tr> <td>Cuff Thickness (mm)</td> <td>N/A</td> <td>0.09 (3.6 mil)</td> </tr> <tr> <td>Palm Thickness (mm)</td> <td>min. 0.09</td> <td>0.10 (4.1 mil)</td> </tr> <tr> <td>Finger Thickness (mm)</td> <td>min. 0.05</td> <td>0.13 (5.1 mil)</td> </tr> <tr> <td>Tensile Strength (MPa)</td> <td>min. 14</td> <td>20</td> </tr> <tr> <td>Ultimate Elongation (%)</td> <td>min 300</td> <td>450</td> </tr> </tbody> </table> <p>Is Medgluv required to submit samples for evaluation?</p>		ASTM	NeuSkin	Length (mm)	Min 220	240	Palm width (mm)	95 ± 10	95 ± 10	Cuff Thickness (mm)	N/A	0.09 (3.6 mil)	Palm Thickness (mm)	min. 0.09	0.10 (4.1 mil)	Finger Thickness (mm)	min. 0.05	0.13 (5.1 mil)	Tensile Strength (MPa)	min. 14	20	Ultimate Elongation (%)	min 300	450	
	ASTM	NeuSkin																								
Length (mm)	Min 220	240																								
Palm width (mm)	95 ± 10	95 ± 10																								
Cuff Thickness (mm)	N/A	0.09 (3.6 mil)																								
Palm Thickness (mm)	min. 0.09	0.10 (4.1 mil)																								
Finger Thickness (mm)	min. 0.05	0.13 (5.1 mil)																								
Tensile Strength (MPa)	min. 14	20																								
Ultimate Elongation (%)	min 300	450																								
44	<p>Can we sub the following:</p> <p>Group I</p> <p>Line 1, with Innovative 133700, Gloves, Surgical, Powder Free (PF), Size 7, Latex, Sterile, Textured Finish, 50 pr/bx</p> <p>Line 3, Innovative 151200, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx, 10 bx/cs</p> <p>Line 8, Innovative 16100, Gloves, Exam, Small, Vinyl, Non-Sterile, PF, Smooth, 100/bx, 10 bx/cs, also listed on bid as 100 per case but that is box amount, case = 10 bx/100, should we bid box amount or case?</p> <p>Line 9, Innovative 151350, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 13, Innovative 161300, Exam, Vinyl, Non-Sterile, PF, Smooth, 100/bx, 10 bx/cs</p> <p>Line 35, Innovative 151100, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 36, Innovative 151200, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p>	<p>Please see the answer to Question #43 of this Addendum.</p>																								

Question Number	Question	Answer
44 (Cont'd)	<p>Line 37, Innovative 151300, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 43, Innovative 151100, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 44. Innovative 151200, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 61, Innovative 161100, DERMASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p> <p>Line 62, Innovative 161200, DERMASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p> <p>Line 63, Innovative 161300, DERMASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p> <p>Line 64, Innovative 133750 Gloves, Surgical, Powder Free (PF), Size 7½, Latex, Sterile, Textured Finish, 50 pr/bx</p> <p>Line 65, Dynarex, 6203 GLOVES ULTRACARE LATEX P/F M UNISIZE BOX/100</p> <p>Line 66, Dynarex 6612 TILLOTSON POWDER-FREE PLUS NON-CHLORINATED LATEX EXAM GLOVES BOX/100</p>	

Question Number	Question	Answer
44 (Cont'd)	<p>Group III</p> <p>Line 1, Can case quantity be 500/case</p> <p>Line 2, Can we sub with 3oz and case quantity 500/case</p> <p>Line 3, Can we sub case quantity 500/case, 6.5 oz</p> <p>Line 4, Can we sub case quantity 500/case</p>	
45	Can you tell me where to find mil thickness required for gloves?	Please see Change No.5 of this Addendum.
46	Where can I find the previous contract/pricing?	Please see the Answer to Question #17.
47	Bob Barker Company would like permission to bid alternate products for the Sanitary Napkins. We would be bidding our Private label items, manufactured for us.	<p><i>Previous Answer Provided Via Email:</i></p> <p>Per Section 4.3 of the ITB, and the Timeline (Page 4), requests for equivalent items must be submitted to the Department by the deadline for written inquiries. Requests must be made in a manner which provides the Department with all relevant information about an equivalent product (item specifications, etc.) so the Department can make an informed determination of equivalence.</p> <p>An Addendum revising the deadline for submission of written inquiries, and requests for equivalent items, has been posted to the Vendor Bid System and may be found here: http://www.myflorida.com/apps/vbs/vbs_www.ad_r2.view_ad?advertisement_key_num=137297.</p>
48	We also need an item number or more specifications for Group II line 2, the Stayfree Maxi pad BG. Is there a Stayfree item number so we can make sure we can bid a comparable? If not allowed to bid comparable then we	Please see Change No.5 of this Addendum.

Question Number	Question	Answer
48 (cont'd)	still need the item # or better description so we can source this item. What does the BG stand for?	
49	Also need more information on line 1 of Group II. Is this with wings, super absorbency, overnight???? Is there an item number associated with this?	Please see Change No.5 of this Addendum.
50	Can you provide a bid tab for all items or price currently being paid for these items?	Please see the Answers to Questions #2 and #5.
51	How many purchase orders were generated in 2017 for the Sanitary napkins?	The Department is unable to provide an exact amount, however, approximately 10 POs were generated.
52	How many purchase orders were generated in 2017 for the specimen cups and antiseptic towelettes?	The Department is unable to provide an exact amount, however, approximately 60 POs were generated for specimen cups and approximately 15 POs were generated for antiseptic towelettes.
53	Description of Goods on the Attachment I, Price Page, Group I, Latex Gloves on page 25 through 30 of the ITB, Item 1: is the unit cost per case (which includes 50 gloves/box)? If so, how many boxes are there in a case?	Please see Change No.5 of this Addendum.
54	Item 2: is the unit cost for a single glove dispenser? If not, are you interested in double, triple or quad dispensers with dividers? Is the unit cost for a case or a box? How many boxes per case?	Please see Change No.5 of this Addendum.
55	Item 3: please clarify "N/S"; does this mean non-sterile?	Please see Change No.5 of this Addendum.
56	Items 3, 4, 5, 6 & 7: what is the required size of glove? Also, is the unit cost per case? If so, how many boxes per case?	Please see Change No.5 of this Addendum.
57	Items 8, 9: Is the unit cost per case, including 100 boxes per case?	Please see Change No.5 of this Addendum.

Question Number	Question	Answer
58	Items 10, 11, 12, 13, 14, 15, 16, 17, 18, 19: is the unit cost per case?	Please see Change No.5 of this Addendum.
59	Items 20, 21, 22, 23, 24, 25: specifies 100 boxes; is the unit cost per case that includes 100 boxes?	Please see Change No.5 of this Addendum.
60	Item 26: is the unit cost per case that includes 20 boxes per case?	Please see Change No.5 of this Addendum.
61	Items 27, 28, 29, 30: is the unit cost per case that includes 100 boxes per case?	Please see Change No.5 of this Addendum.
62	Items 31, 32, 33, 34: is the unit cost per case? If so, how many boxes are there in a case?	Please see Change No.5 of this Addendum.
63	Item 35, 36, 37: What is "Text N/S"? Is the unit cost per case with 100 boxes per case?	Please see Change No.5 of this Addendum.
64	Items 38, 39, 40, 41: is the unit cost per case with 100 boxes per case?	Please see Change No.5 of this Addendum.
65	Item 65: What is the size requirement? Tillot is specified as the manufacturer; is "Tillotson Healthcare" the correct name of the manufacturer?	Please see Change No.5 of this Addendum.
66	You specified a manufacturer for every item, can we deviate and select another manufacturer for better pricing and/or quality?	Please see Change No.5 of this Addendum.
67	Also, no color is specified for many of the items, can I assume no color requirement has been placed for these specific items?	Please see Change No.5 of this Addendum.
68	Group II, Sanitary Napkins on page 32 of 51 of the ITB: Item 1: Are there 250 boxes per case? If so, is the unit cost per case?	Please see Change No.5 of this Addendum.

Question Number	Question	Answer
69	Group III, Specimen Cups on page 33 of 51 of the ITB: Item 5: How many towelettes are there in a box?	Please see Change No.5 of this Addendum.
70	<p>As Per the DOC Addendum #001 FDC ITB-18-052, I am submitting a list for approved equivalents on the DOC bid. Please note that per your original list, you had 12 gloves that were powdered. Per the FDA, powdered gloves are no longer available for sale.</p> <p>I have provided equivalents for a number of gloves using Innovative Healthcare Corporation (IHC) gloves. This is the same glove that was on the state contract and that has been offered by American Medical Depot (AMD) to the DOC for many years.</p> <p><u>Group I</u></p> <ul style="list-style-type: none"> • #3 Glove, Exam N/S, Latex, Textured Powder-Free, Instaguard, Cardinal Health, Case; Requested alternative: Pulse, N/S Latex 15100 • #4 Glove, Exam N/S, Latex, Textured Powder-Free, Instaguard, Cardinal Health, Case; Requested alternative: Pulse, N/S Latex 151200 • #5 Glove, Instaguard, Powder-Free, Exam, Cardinal Healthcare, case; Requested alternative: Pulse, N/S Latex 151300 • #6 Glove, Instaguard, Powder-Free, Exam, Cardinal Healthcare, case; Requested alternative: Pulse, N/S Latex 151350 • #7 Glove, Instaguard, Powder-Free, Exam, Cardinal Healthcare, case; Requested alternative: Pulse, N/S Latex 151300 • #8 Glove, Small, Vinyl, Powder-Free, 100 per case, Cyprss Requested alternative: Dermassist N/S, Vinyl 161100 • #12 Glove, Medium, Vinyl with Powder, Innovative Healthcare, 100 each box, 10 boxes per case Requested alternative: Dermassist N/S Vinyl 161200 	Please see the answer to Question #43 of this Addendum.

Question Number	Question	Answer
70 (cont'd)	<ul style="list-style-type: none"> • #13 Glove, Exam, Non-Latex, PVC Powdered, Large, Maxxim Medical, 100 each box, 10 boxes per case. Requested alternative: Dermassist N/S Vinyl 161200 • #14 Glove, Exam, Latex, Powder-Free, Large, Microflex, 100 each box, 10 boxes per case Requested alternative: Pulse N/S Latex 151300 • #26 Glove, Safety, Latex, X-Large, 15 ML at fingertips, Sage Products Inc., 50 each box, 20 boxes per case Requested alternative: EP Blue 181350 • #27 Gloves, Action, Latex, Powder-Free, Large, Shamrock Marketing Co, Inc. 100 per case Requested alternative: Pulse N/S Latex 151300 • #28 Glove, Action, Latex, Powder-Free, Medium, Shamrock Marketing Co, Inc. 100 per case Requested alternative: Pulse N/S Latex 151200 • #29 Glove, Action, Latex, Powder-Free, Small, Shamrock Marketing Co, Inc. 100 per case Requested alternative: Pulse N/S Latex 151100 • #30 Glove, Action, Latex, Powder-Free, X-Large, Shamrock Marketing Co, Inc. 100 per case Requested alternative: Pulse N/S Latex 151350 • #31 Gloves, Econ, Latex, Powder, Large, Shamrock, Box Requested alternative- Pulse N/S Latex 151300 • #32 Gloves, Econ, Latex, Powder, Medium, Shamrock, Box Requested alternative- Pulse N/S Latex 151200 • #33 Gloves, Econ, Latex, Powder, Small, Shamrock, Box Requested alternative- Pulse N/S Latex 151100 • #34 Gloves, Econ, Latex, Powder, X-Large, Shamrock, Box Requested alternative- Pulse N/S Latex 151350 • #35 Gloves, Latex, Powder-Free, Text N/S, Small, Glovetex, AHP, 100 per box 	

Question Number	Question	Answer
70 (Cont'd)	<p>Requested alternative-Pulse N/S Latex 151100</p> <ul style="list-style-type: none"> • #36 Gloves, Latex, P/F,Text, N/S, Medium, Glovetex, AHP, 100 per box <p>Requested alternative- Pulse N/S Latex 151200</p> <ul style="list-style-type: none"> • #37 Gloves, Latex, Powder-Free, Text N/S, Large, Glovetex, AHP, 100 per box <p>Requested alternative-Pulse N/S Latex 151300</p> <ul style="list-style-type: none"> • #42 Gloves, Nitrile, Powder-Free, N/S, Large, N-DEX, Best Manufacturing, 100 per box <p>Requested alternative-Nitriderm 100 N/S Nitrite 159300</p> <ul style="list-style-type: none"> • #43 Gloves, Latex, Powder, N/S, Small, LP Exam, DASH, 100 per box <p>Requested alternative-Pulse N/S Latex 151100</p> <ul style="list-style-type: none"> • #44 Gloves, Latex, Powder, N/S,Medium, LP Exam, DASH, 100 per box <p>Requested alternative-Pulse N/S Latex 151200</p> <ul style="list-style-type: none"> • #45 Gloves, Vinyl, Powder-Free, N/S, Small, NUVO, DASH, 100 per box <p>Requested alternative- Dermassist, N/S, Vinyl 161100</p> <ul style="list-style-type: none"> • #46 Gloves, Latex, Powder-Free, Text N/S, Medium, Micropro, DASH, 100 per box <p>Requested alternative-Pulse, N/S, Latex, 151200</p> <ul style="list-style-type: none"> • #47 Gloves, Latex, Powder-Free, Text N/S, X-small, Micropro, DASH, 100 per box <p>Requested alternative-Pulse, N/S, Latex, 151200</p> <ul style="list-style-type: none"> • #49 Gloves, Latex, Powder, N/S, Large, Blue, Color Touch, Microflex, 100 per box <p>Requested alternative- Pulse, N/S, Latex 151300</p> <ul style="list-style-type: none"> • #50 Gloves, Latex, Powder, N/S, Medium, Green, Color Touch, Microflex, 100 per box <p>Requested alternative-Pulse, N/S, Latex 151200</p> <ul style="list-style-type: none"> • #51 Gloves, Latex, Powder, N/S, Small, Pink, Color Touch, Microflex, 100 per box <p>Requested alternative-Pulse N/S, Latex, 151100</p> <ul style="list-style-type: none"> • #61 Gloves, Vinyl, Powder-Free, Small, Patterson, 100 per box 	

Question Number	Question	Answer
70 (Cont'd)	<p>Requested alternative-Dermassist, N/S, Vinyl, 161100</p> <ul style="list-style-type: none"> • #62 Gloves, Vinyl, Powder-Free, Medium, Patterson, 100 per box <p>Requested alternative-Dermassist, N/S, Vinyl, 161200</p> <ul style="list-style-type: none"> • #63 Gloves, Vinyl, Powder-Free, Large, Patterson, 100 per box • Requested alternative-Dermassist, N/S, Vinyl, 161300 • #65 Gloves, Formula 1 Latex, Tillot, 100 per box <p>Requested alternative- Pulse N/S Latex 151200</p> <ul style="list-style-type: none"> • #66 Glove, Plus Powder-Free, Small, Tillotson Healthcare, 100 per box <p>Requested alternative-Pulse N/S Latex 151100</p>	
71	<p>Proposed equivalents:</p> <p>Group II</p> <p>1: Albaad MT-4</p> <p>2: Albaad MT48044</p> <p>Group III</p> <p>1: Covidien 8889207034</p> <p>Specimen Container, 4 oz, Non-Sterile, White Cap, 500/cs</p>	Please see the answer to Question #43 of this Addendum.
72	<p>Please accept the attached information on Digitcare gloves, IHC gloves, and Dynarex Towelette. (See snips below)</p> <p>Group I</p> <ul style="list-style-type: none"> • Digitcare ICU911-T Powder-Free Latex Exam Glove • Digitcare DigitFree Powder-Free Latex Exam Glove • Digitcare DigitSafety HaloKote Chemphtherapy Powder-Free Latex Exam Gloves • IHC Black Wolf Latex Series 127, Non-Sterile Exam Glove 	Please see the answer to Question #43 of this Addendum.

Question Number	Question	Answer
72 (cont'd)	<ul style="list-style-type: none"> • IHC Pulse Latex Series 151 Non-Sterile Exam Glove • IHC DermAssist Vinyl, Series 161, Non-Sterile Exam Glove <p>Group III</p> <ul style="list-style-type: none"> • BZK Towelettes Individually sealed foil packs 	
73	<p>Group I</p> <p>Line 1, with Innovative 133700, Gloves, Surgical, Powder Free (PF), Size 7, Latex, Sterile, Textured Finish, 50 pr/bx</p> <p>Line 3, Innovative 151200, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx, 10 bx/cs</p> <p>Line 8, Innovative 16100, Gloves, Exam, Small, Vinyl, Non-Sterile, PF, Smooth, 100/bx, 10 bx/cs, also listed on bid as 100 per case but that is box amount, case = 10 bx/100, should we bid box amount or case?</p> <p>Line 9, Innovative 151350, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 13, Innovative 161300, Exam, Vinyl, Non-Sterile, PF, Smooth, 100/bx, 10 bx/cs</p> <p>Line 35, Innovative 151100, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 36, Innovative 151200, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 37, Innovative 151300, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 43, Innovative 151100, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 44, Innovative 151200, Exam, Latex, Non-Sterile, PF, Textured, Online Chlorination, 100/bx</p> <p>Line 61, Innovative 161100, DERM ASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p> <p>Line 62, Innovative 161200, DERM ASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p>	Please see the answer to Question #43 of this Addendum.

Question Number	Question	Answer
73 (Cont'd)	<p>Line 63, Innovative 161300, DERMASSIST SERIES 161 SMOOTH VINYL EXAM GLOVES - POWDER FREE 100/BX</p> <p>Line 64, Innovative 133750 Gloves, Surgical, Powder Free (PF), Size 7½, Latex, Sterile, Textured Finish, 50 pr/bx</p> <p>Line 65, Dynarex, 6203 GLOVES ULTRACARE LATEX P/F M UNISIZE BOX/100</p> <p>Line 66, Dynarex 6612 TILLOTSON POWDER-FREE PLUS NON-CHLORINATED LATEX EXAM GLOVES BOX/100</p> <p>Group III</p> <p>Line 1, Can case quantity be 500/case</p> <p>Line 2, Can we sub with 3oz and case quantity 500/case</p> <p>Line 3, Can we sub case quantity 500/case, 6.5 oz</p> <p>Line 4, Can we sub case quantity 500/case</p>	

**REVISED
ATTACHMENT I - PRICE PAGE
FDC ITB 18-052**

Bids must be firm prices, and shall include all packaging, handling, shipping, and other applicable fees. Bidders shall provide a Unit Cost per item below, then propagate a total for the item based upon the Estimated Number of medical supplies to include latex gloves, sanitary napkins, tampons, and specimen cups to be purchased quarterly, as needed. The Bidder is required to bid all items within each Group, in order for their Bid to be considered responsive

A sample of each item bid must be included with Bid in order for Vendor to be deemed responsive.

Destinations include all sites listed in Attachment VI – Delivery Locations.

GROUP I, GLOVES					
Description of Goods		Description of Approved Alternative	(A) Unit Cost Per Case	(B) Estimated Quantity of Cases	(C=A x B) Extended Cost
1	Multi-Glove Dispenser, 10 Per Case		\$ _____	100	\$ _____
2	Vinyl Exam Gloves, Powder-Free, Sterile, Small, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$ _____	5360	\$ _____
3	Vinyl Exam Gloves, Powder-Free, Sterile, Medium, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$ _____	5360	\$ _____
4	Vinyl Exam Gloves, Powder-Free, Sterile, Large, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$ _____	5360	\$ _____
5	Vinyl Exam Gloves, Powder-Free, Sterile, X-Large, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$ _____	5360	\$ _____
6	Latex Exam Gloves, Powder-Free, Sterile, Small, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$ _____	5360	\$ _____

NAME OF VENDOR

FEID#

GROUP I, GLOVES					
Description of Goods		Description of Approved Alternative	(A) Unit Cost Per Case	(B) Estimated Quantity of Cases	(C=A x B) Extended Cost
7	Latex Exam Gloves, Powder-Free, Sterile, Medium, 100 each box, 10 boxes per case		\$_____	5360	\$_____
8	Latex Exam Gloves, Powder-Free, Sterile, Large, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$_____	5360	\$_____
9	Latex Exam Gloves, Powder-Free, Sterile, X-Large, minimum thickness of 0.11 mm, 100 each box, 10 boxes per case		\$_____	5360	\$_____
GROUP I, GLOVES GRAND TOTAL PRICE (SUM OF COLUMN C)					\$_____

NAME OF VENDOR _____

FEID# _____

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

GROUP II, SANITARY NAPKINS					
Description of Goods		Description of Approved Alternative	(A) Unit Cost Per Case	(B) Estimated Quantity of Cases	(C=A x B) Extended Cost
1	Napkin, Sanitary, Feminine Hygiene, Disposable, Regular Absorbency Maxi with Wings, Unscented, 24 Individual Napkins Per Box, 10 Boxes Per Case		\$ _____	1825	\$ _____
2	Napkin, Sanitary, Feminine Hygiene, Disposable, Super Maxi Absorbency with Wings, Unscented, 24 Individual Napkins Per Box, 10 Boxes Per Case		\$ _____	1825	\$ _____
GROUP II, SANITARY NAPKINS GRAND TOTAL PRICE (SUM OF COLUMN C)					\$ _____

NAME OF VENDOR

FEID#

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

GROUP III, TAMPONS					
Description of Goods		Description of Approved Alternative	(A) Unit Cost Per Case	(B) Estimated Quantity of Cases	(C=A x B) Extended Cost
1	Regular Absorbency, Unscented with Open End, Flushable, Cardboard Applicator, Individually Wrapped in Paper, 20 Per Box, 10 Boxes Per Case		\$_____	650	\$_____
2	Super Absorbency, Unscented with Open End, Flushable, Cardboard Applicator, Individually Wrapped in Paper, 20 Per Box, 10 Boxes Per Case		\$_____	650	\$_____
GROUP III, TAMPONS GRAND TOTAL PRICE (SUM OF COLUMN C)				\$_____	

NAME OF VENDOR _____

FEID# _____

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

GROUP IV, SPECIMEN CUPS				
Description of Goods	Description of Approved Alternative	(A) Unit Cost Per Case	(B) Estimated Quantity of Cases	(C=A x B) Extended Cost
1	4 oz. cup with lid, sterile, 100 per case	\$_____	400	\$_____
2	5 oz. cup with lid, sterile, 100 per case	\$_____	400	\$_____
3	Antiseptic Towelettes 5" x 7" (Case=10 boxes of 100 individual wipes)	\$_____	1000	\$_____
GROUP IV, SPECIMEN CUPS GRAND TOTAL PRICE (SUM OF COLUMN C)				\$_____

NAME OF VENDOR

FEID#

SIGNATURE OF AUTHORIZED REPRESENTATIVE

DATE

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK