

ADDENDUM NO. 3

ISSUE DATE:	5/14/2020
FSCJ RFP NUMBER:	2020C-15
FSCJ RFP TITLE:	Elevator Maintenance & Repair Services
	licitation is amended as follows: " Clarifications, Questions and Answers
The hour and date specif	fied for receipt of bids:
_ is not extended, rema	iins:
X is extended until: Ju	ne 2, 2020 to be submitted by uploading no later than 2:00 p.m. through web-link:
	tps://erfp.integratise.com/getall/registration_initial_tmp.asp?c=Florida State College at cksonville&p=2020C-15&d=06/02/2020
\mathbf{X} posting date is extend	ded until: <u>July 29, 2020</u>
Except as provided herein unchanged and in full for	n, all terms and conditions of the solicitation, including changes made by all prior addenda (if any), remain rce and effect.
	dge receipt of this addendum prior to the time set for receipt and opening of bids as specified in the ed, by one of the following methods:
(b) By acknowledgi	returning one copy of this addendum. ng receipt on the copy of the bid submitted. rer email referencing the solicitation and addendum numbers. Email amonroe@fscj.edu
OF YOUR OFFER. If, by v	DGE RECEIPT OF THIS ADDENDUM PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION virtue of this addendum, you desire to change an offer already submitted, such change may be made by the makes reference to the solicitation and this addendum and is received prior to the opening hour and
Randi Brokvist	
Executive Director of F	Purchasing
TO BE RESPONSIVE ALL	(Complete this portion) BIDDERS MUST ACKNOWLEDGE RECEIPT OF ADDENDUM #3
COMPANY:	
SIGNATURE:	
TITLE:	
DATE:	

FSCJ RFP: 2020C-15 Attachment A

FSCJ RFP TITLE: Elevator Maintenance & Repair Services

ADDENDUM NO. 3

CLARIFICATIONS

1. Due to the College's alternate working plan in light of the COVID-19 virus the solicitation submission will need to be uploaded no later than 2:00 p.m. through the following web-link:

https://erfp.integratise.com/getall/registration_initial_tmp.asp?c=Florida State College at Jacksonville&p=2020C-15&d=06/02/2020

The web-link will require a pre-registration to identify your firm as an interested party in which will provide access to all documentation, submission upload ability and process documentation.

The Public RFP Opening has been setup on WebEx for call-ins for attendees to access:

Event address for attendees:

https://fscj.webex.com/fscj/onstage/g.php?MTID=e2356f77de8529d47379c4b9a6f42af15

Event number (access code): 617 726 078

- 2. The Question Deadline remains May 19, 2020 via email to amonroe@fscj.edu at 5:00 pm.
- 3. Due to the extension of the solicitation opening, the Public Evaluation meeting has be proposed to June 15, 2020 in the same location as defined in the solicitation.
 - a. Proposers are to note that in the consideration of others, the College has adopted the policy in which all personnel to wear face masks/face coverings on premises.
 - b. A WebEx for call-ins has been set up for attendees to access:

Join by phone:

Tap to call in from a mobile device (attendees only)

+1-904-900-2303 United States Toll (Jacksonville)

Meeting number (access code): 610 223 173

Meeting password: BSbJAYJ29Z



Florida State College at Jacksonville does not discriminate against any person on the basis of race, color, ethnicity, genetic information, national origin, religion, gender, marital status, disability, or age in its programs or activities. Inquiries regarding the non-discrimination policies may be directed to the College's Equity Officer, 501 West State Street, Jacksonville, Florida 32202 | (904) 632-3221 | equityofficer@fscj.edu.

Florida State College at Jacksonville is accredited by the Southern Association of Colleges and Schools Commission on Colleges to award the baccalaureate and associate degree. Contact the Commission on Colleges at 1866 Southern Lane, Decatur, Georgia 30033-4097, or call (404) 679-4500 for questions about the accreditation of Florida State College at Jacksonville. The Commission is to be contacted only if there is evidence that appears to support an institution's significant non-compliance with a requirement or standard.