

REVISED – ATTACHMENT 2

**LABORATORY REQUIREMENTS FACILITY/SITE REQUIREMENTS CERTIFICATION/ATTESTATION PAGE
FDC RFP-15-099**

Each item listed below is a **laboratory requirement facility/collection site requirement** for the **laboratory site facility/collection site**. The Vendor shall certify, by initialing next to each requirement that the proposed site will meet these requirements **prior to contract execution**. Prior to final contract execution and implementation of services, the Department will verify that the awarded Vendor(s) laboratory site(s) have complied with the requirements of **Section 4.9 Section 3.9, Section 5.6., and Attachment 2 “Laboratory Requirements Facility/Site Requirements Certification/Attestation Page”** of this RFP, and all applicable county and city zoning requirements.

Subsequent to the posting of the Intent to Award, a preliminary **laboratory site facility/collection site** inspection will be scheduled by the Department. This preliminary site visit will be scheduled no later than **fifteen (15) business days after Intent to Award**. The Vendor will have a written report of the preliminary findings within three (3) business days of the preliminary inspection. A final site inspection will occur no later than **sixty (60) business days after publish Intent to Award**. After completion of the final inspection, the Department will address any specific deficiencies in a written report and allow the Vendor ten (10) working days from the receipt of the report to correct identified deficiencies. An inspection confirming that all deficiencies have been corrected will then be conducted. Failure to correct deficiencies after ten (10) days of receipt of the report results may result in rejection of the intended award and the Department may move to contract with the next highest ranking, responsive Vendor in accordance with the requirements of this RFP.

Laboratory Site Facility/Collection Site Requirements	Vendor's Initials
The proposed laboratory site facility/collection is has/will possess the appropriate license and SAMHSA certification.	
The proposed laboratory site facility/collection is currently or will be zoned appropriately for the provision of laboratory services.	
The physical address of the proposed laboratory site facility/collection is located in Alachua or Sarasota County. (Circle one/both)	
Compliance documentation is available to include, but not be limited to, Americans with Disabilities Act (ADA) and with all rules of the State Fire Marshal. Documentation shall support the ability to comply and obtain all required licenses, certifications or a plan to obtain and comply accordingly.	

Proposed **Laboratory Site Facility/Collection Site** Address: _____

Dated this _____ day of _____, 20_____.

Name of Organization: _____

Signed by: _____

Name and Title: _____

Being duly sworn deposes and says that the information herein is true and sufficiently complete so as not to be misleading.

Subscribed and sworn before me this _____ day of _____, 20_____.

Notary Public: _____ My Commission Expires: _____